

## LISTING OF CLAIMS

Claim 1 (original) A method for copying a portion of a multiple database structure, the database including one or more database objects, the method comprising  
    recursively retrieving object definitions for one or more database objects associated with a query to produce an ordered set of object definitions, wherein at least one of the database objects is a view and the object definition for the view is qualified with a containing database identifier; and  
    generating a copy of the portion of the multiple database structure using the ordered set of object definitions.

Claim 2 (original) The method of claim 1, where recursively retrieving object definitions includes  
    recursively identifying objects associated with the query;  
    categorizing each identified object into a category;  
    retrieving an object definition for each identified object using a tool corresponding to the category with which the identified object is connected.

Claim 3 (original) The method of claim 2, where the categories include tables, views, join indexes, triggers and macros.

Claim 4 (original) The method of claim 2, where the tool is  
    a. a SHOW VIEW statement if the identified object is categorized as a view;  
    b. a SHOW TABLE statement if the identified object is categorized as a table;  
    c. a SHOW JOIN INDEX statement if the identified object is categorized as a join index;  
    d. a SHOW TRIGGER statement if the identified object is categorized as a trigger;  
    e. a SHOW MACRO statement if the identified object is categorized as a macro.

**Claim 5 (original)** The method of claim 1, where recursively retrieving object definitions includes

- a. retrieving unretrieved object definitions for a set of objects known to be associated with the query;
- b. adding to the set of objects known to be associated with the query those objects contained in the retrieved object definitions that are not already in the set of objects known to be associated with the query;
- c. repeating items a and b until no new objects are added to the set of objects known to be associated with the query.

**Claim 6 (original)** The method of claim 1, further comprising sending the ordered set of object definitions from a first computer to a second computer.

**Claim 7 (original)** The method of claim 1, further comprising changing the order of the ordered set of object definitions.

**Claim 8 (original)** The method of claim 7, where changing the order of the ordered set of object definitions includes reordering the object definitions so that each object definition is ordered before the definition of any object that references it.

**Claim 9 (original)** The method of claim 1, where the object definitions are ordered so that each object definition is ordered before the definition of any object that references it.

**Claim 10 (original)** The method of claim 1, where recursively retrieving object definitions for one or more database objects includes looking for references to the one or more database objects in a data dictionary.

**Claim 11 (original)** The method of claim 1, where the object definition for the view is qualified with the containing database identifier in response to a deviation from a default condition.

**Claim 12 (original)** A computer-readable medium containing computer-executable code for instructing a computer to:

recursively retrieve object definitions for one or more database objects included in a multiple database system associated with a query to produce an ordered set of object definitions, wherein at least one of the database objects is a view and the object definition for the view is qualified with a containing database identifier;  
generate a copy of a portion of the multiple database structure using the ordered set of object definitions.

**Claim 13. (original)** The computer-executable code of claim 12, in which, when recursively retrieving object definitions, the computer:

recursively identifies objects associated with the query;  
categorizes each identified object into a category;  
retrieves an object definition for each identified object using a tool corresponding to the category with which the identified object is connected.

**Claim 14. (original)** The computer-executable code of claim 13, where the categories include tables, views, join indexes, triggers and macros.

**Claim 15. (original)** The computer-executable code of claim 13, where the tool is

- a. a SHOW VIEW statement if the identified object is categorized as a view;
- b. a SHOW TABLE statement if the identified object is categorized as a table;
- c. a SHOW JOIN INDEX statement if the identified object is categorized as a join index;
- d. a SHOW TRIGGER statement if the identified object is categorized as a trigger;
- e. a SHOW MACRO statement if the identified object is categorized as a macro.

Claim 16. (original) The computer-executable code of claim 12, in which, when recursively retrieving object definitions, the computer:

a. retrieves unretrieved object definitions for a set of objects known to be associated with the query;

b. adds to the set of objects known to be associated with the query those objects contained in the retrieved object definitions that are not already in the set of objects known to be associated with the query;

c. repeats items a and b until no new objects are added to the set of objects known to be associated with the query.

Claim 17. (original) The computer-executable code of claim 12, further comprising computer-executable code instructing the computer to send the object definitions from a first computer to a second computer.

Claim 18. (original) The method of claim 12, further comprising computer-executable code instructing the computer to change the order of the ordered set of object definitions.

Claim 19. (original) The computer-executable code of claim 18, in which, when changing the order of the ordered set of object definitions, the computer reorders the object definitions so that each object definition is ordered before the definition of any object that references it.

Claim 20. (original) The computer-executable code of claim 12, in which, when storing the definitions, the computer stores the definitions so that each object definition is ordered before the definition of any object that references it.

Claim 21. (original) The computer executable code of claim 12, in which, when recursively retrieving object definitions for one or more database objects, the computer looks for references to the one or more database objects in a data dictionary.

**Claim 22. (original) The computer executable code of claim 12, in which the object definition for the view is qualified with the containing database identifier in response to a deviation from a default condition.**

**Claim 23. (original) A package of data useful in generating a copy of a portion of a multiple database structure generated in accordance with the following act:**

**recursively retrieving object definitions for one or more database objects  
associated with a query to produce an ordered set of object definitions,  
wherein at least one of the database objects is a view and the object  
definition for the view is qualified with a containing database identifier.**

**Claim 24. (original) The package of data of claim 23, where the object definitions are recursively retrieved in accordance with the following acts:**

**recursively identifying objects associated with the query;**

**categorizing each identified object into a category;**

**retrieving an object definition for each identified object using a tool corresponding to the category with which the identified object is connected.**

**Claim 25. (original) The package of data of claim 24, where the categories include tables, views, join indexes, triggers and macros.**

**Claim 26. (original)** The package of data of claim 24, where the tool is

- a. a SHOW VIEW statement if the identified object is categorized as a view;
- b. a SHOW TABLE statement if the identified object is categorized as a table;
- c. a SHOW JOIN INDEX statement if the identified object is categorized as a join index;
- d. a SHOW TRIGGER statement if the identified object is categorized as a trigger;
- e. a SHOW MACRO statement if the identified object is categorized as a macro.

**Claim 27. (original)** The package of data of claim 23, where the object definitions are recursively retrieved in accordance with the following acts:

- a. retrieving unretrieved object definitions for a set of objects known to be associated with the query;
- b. adding to the set of objects known to be associated with the query those objects contained in the retrieved object definitions that are not already in the set of objects known to be associated with the query;
- c. repeating items a and b until no new objects are added to the set of objects known to be associated with the query.

**Claim 28. (original)** The package of data of claim 23, further comprising the act of sending the ordered set of object definitions from a first computer to a second computer.

**Claim 29. (original)** The package of data of claim 23, further comprising the act of instructing the computer to change the order of the ordered set of object definitions.

**Claim 30. (original)** The package of data of claim 29, where the act of changing the order of the ordered set of object definitions includes reordering the object definitions so that each object is ordered before the definition of any object that references it.

**Claim 31. (original)** The package of data of claim 23, where the act of storing object

definitions includes storing the object definitions so that each object definition is ordered before the definition of any object that references it.

Claim 32. (original) The package of data of claim 23, where the act of recursively retrieving object definitions for one or more database objects includes looking for references to the one or more database objects in a data dictionary.

Claim 33. (original) The package of data of claim 23, where the object definition for the view is qualified with the containing database identifier in response to a deviation from a default condition.

Claim 34. (original) A method for retrieving a database view object structure, comprising the steps of:

inputting definition language specifying a database view identifier and with at least one directly or indirectly referenced database object unqualified with a containing database identifier;

inputting a show statement that identifies the database view identifier; and  
outputting the definition language with each directly or indirectly referenced database object qualified with its containing database identifier.

Claim 35. (original) The method of claim 34 where the show statement includes an option indicator.

Claim 36. (original) The method of claim 35 where the option indicator is qualified.